

		2021 MMA							
		COV	PRS	CMS	CHA	CCP	FCC	HUM	
Abbrv Code	Measure Name	Aetna Better Health	Amerihealth	Childrens Medical Services	Clear Health Alliance	Community Care Plan	Florida Community Care	Humana Medical Plan	Measure Steward
AAP	Adults' Access to Preventive/Ambulatory Health Services - Ages 20-44 years	60%	61%	76%	74%	51%	95%	67%	HEDIS
AAP	Adults' Access to Preventive/Ambulatory Health Services - Ages 45-64 years	72%	75%	NQ	85%	70%	95%	81%	HEDIS
AAP	Adults' Access to Preventive/Ambulatory Health Services - Ages 65+ years	73%	74%	NQ	85%	70%	91%	89%	HEDIS
AAP	Adults' Access to Preventive/Ambulatory Health Services - Total	63%	65%	76%	81%	57%	94%	73%	HEDIS
ADD	Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase	56%	69%	61%	NA	NA	NQ	55%	HEDIS, Child Core Set
ADD	Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase	43%	42%	49%	NA	34%	NQ	39%	HEDIS, Child Core Set
AMM	Antidepressant Medication Management - Effective Acute Phase Treatment	55%	58%	58%	52%	46%	NA	57%	HEDIS, Adult Core Set
AMM	Antidepressant Medication Management - Effective Continuation Phase Treatment	42%	44%	40%	36%	28%	NA	40%	HEDIS, Adult Core Set
AMR	Asthma Medication Ratio - Ages 12-18 Years	70%	75%	81%	NA	79%	NA	72%	HEDIS, Child Core Set
AMR	Asthma Medication Ratio - Ages 19-50 Years	56%	65%	79%	32%	53%	NA	60%	HEDIS, Adult Core Set
AMR	Asthma Medication Ratio - Ages 5-11 Years	88%	88%	87%	NA	80%	NQ	77%	HEDIS, Child Core Set
AMR	Asthma Medication Ratio - Ages 51-64 Years	58%	57%	NQ	38%	NA	NA	56%	HEDIS, Adult Core Set
AMR	Asthma Medication Ratio - Total	72%	77%	84%	36%	70%	NA	68%	HEDIS
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Blood Glucose and Cholesterol Testing	39%	50%	36%	NA	28%	NQ	37%	HEDIS, Child Core Set
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Blood Glucose Testing	57%	59%	53%	NA	40%	NQ	53%	HEDIS, Child Core Set
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Cholesterol Testing	40%	53%	38%	NA	30%	NQ	39%	HEDIS, Child Core Set
APP	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics - Ages Total	67%	79%	54%	NA	33%	NQ	61%	HEDIS, Child Core Set
BCS	Breast Cancer Screening	47%	51%	NQ	48%	52%	22%	51%	HEDIS, Adult Core Set
CBP	Controlling High Blood Pressure	61%	65%	45%	57%	65%	35%	66%	HEDIS, Adult Core Set
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception within 3 days of delivery	10%	9%	NA	16%	9%	NA	9%	Adult Core Set
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception within 60 days of delivery	33%	33%	NA	28%	27%	NA	32%	Adult Core Set
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC)within 3 days of delivery	1%	0%	NA	1%	0%	NA	1%	Adult Core Set

		COV	PRS	CMS	CHA	CCP	FCC	HUM	
Abbrv Code	Measure Name	Aetna Better Health	Amerihealth	Childrens Medical Services	Clear Health Alliance	Community Care Plan	Florida Community Care	Humana Medical Plan	Measure Steward
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC) within 60 days of delivery	7%	7%	NA	4%	5%	NA	6%	Adult Core Set
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception within 3 days of delivery	0%	0%	3%	NA	NA	NA	2%	Child Core Set
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception within 60 days of delivery	30%	41%	33%	NA	NA	NA	32%	Child Core Set
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC) within 3 days of delivery	0%	0%	1%	NA	NA	NA	1%	Child Core Set
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC) within 60 days of delivery	5%	10%	7%	NA	NA	NA	7%	Child Core Set
CCS	Cervical Cancer Screening	59%	63%	NQ	60%	59%	3%	55%	HEDIS, Adult Core Set
CCW-AD	All Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC)	4%	5%	3%	2%	2%	NA	3%	Adult Core Set
CCW-AD	All Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception	21%	23%	20%	14%	15%	NA	20%	Adult Core Set
CCW-CH	All Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC)	2%	1%	2%	1%	0%	NA	2%	Child Core Set
CCW-CH	All Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception	15%	14%	21%	29%	9%	NA	17%	Child Core Set
CDC	Comprehensive Diabetes Care - HbA1c Control (<8.0%)	48%	49%	18%	59%	49%	5%	52%	HEDIS
CDC	Comprehensive Diabetes Care - Blood Pressure Controlled <140/90 mm Hg	59%	58%	46%	59%	59%	NA	65%	HEDIS
CDC	Comprehensive Diabetes Care - Eye Exam	42%	36%	39%	38%	44%	13%	62%	HEDIS
CDC	Comprehensive Diabetes Care - HbA1c Poor Control (>9.0%)	42%	43%	79%	38%	44%	93%	38%	HEDIS
CDC	Comprehensive Diabetes Care - HbA1c Testing	83%	84%	80%	85%	85%	75%	88%	HEDIS
CHL	Chlamydia Screening in Women - Ages 16-20 Years	66%	71%	48%	64%	63%	NA	61%	HEDIS, Child Core Set
CHL	Chlamydia Screening in Women - Ages 21-24 Years	68%	70%	49%	64%	69%	NA	66%	HEDIS, Adult Core Set
CHL	Chlamydia Screening in Women - Ages Total	66%	70%	48%	64%	65%	NA	63%	HEDIS
CIS	Childhood Immunization Status - Combination 3	68%	74%	77%	50%	65%	NQ	67%	HEDIS, Child Core Set
FUA	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence - Total - 30-day	11%	14%	3%	10%	4%	NA	9%	HEDIS, Adult Core Set
FUA	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence - Total - 7-day	7%	10%	3%	9%	4%	NA	6%	HEDIS, Adult Core Set
FUH	Follow-Up After Hospitalization for Mental Illness - Total - 30-day	56%	58%	52%	30%	46%	38%	55%	HEDIS

	2021 MMA								
	MOL	MOL-SMI	SHP	SUN	SUN-CW	SUN-SMI	URA	BST	
Measure Name	Molina Healthcare	Molina Healthcare	Simply Healthcare	Sunshine Health	Sunshine Health	Sunshine Health	United Healthcare	Vivida	Measure Steward
Adults' Access to Preventive/Ambulatory Health Services - Ages 20-44 years	66%	64%	61%	61%	69%	71%	60%	50%	HEDIS
Adults' Access to Preventive/Ambulatory Health Services - Ages 45-64 years	80%	75%	78%	76%	NQ	82%	77%	61%	HEDIS
Adults' Access to Preventive/Ambulatory Health Services - Ages 65+ years	81%	73%	82%	75%	NQ	73%	81%	71%	HEDIS
Adults' Access to Preventive/Ambulatory Health Services - Total	70%	67%	68%	66%	69%	74%	67%	54%	HEDIS
Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase	50%	NA	57%	61%	63%	63%	62%	NA	HEDIS, Child Core Set
Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase	41%	NA	44%	45%	51%	56%	42%	42%	HEDIS, Child Core Set
Antidepressant Medication Management - Effective Acute Phase Treatment	59%	60%	66%	60%	55%	59%	62%	65%	HEDIS, Adult Core Set
Antidepressant Medication Management - Effective Continuation Phase Treatment	43%	47%	49%	41%	32%	41%	45%	49%	HEDIS, Adult Core Set
Asthma Medication Ratio - Ages 12-18 Years	73%	NA	69%	71%	68%	67%	74%	69%	HEDIS, Child Core Set
Asthma Medication Ratio - Ages 19-50 Years	64%	48%	56%	60%	NA	54%	60%	NA	HEDIS, Adult Core Set
Asthma Medication Ratio - Ages 5-11 Years	87%	NA	76%	81%	85%	72%	84%	82%	HEDIS, Child Core Set
Asthma Medication Ratio - Ages 51-64 Years	62%	NA	55%	56%	NQ	51%	60%	NA	HEDIS, Adult Core Set
Asthma Medication Ratio - Total	75%	52%	68%	72%	79%	56%	72%	69%	HEDIS
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Blood Glucose and Cholesterol Testing	38%	42%	33%	31%	39%	37%	32%	23%	HEDIS, Child Core Set
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Blood Glucose Testing	51%	60%	51%	47%	54%	55%	50%	42%	HEDIS, Child Core Set
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Cholesterol Testing	39%	42%	35%	33%	41%	38%	33%	26%	HEDIS, Child Core Set
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics - Ages Total	76%	60%	65%	62%	70%	58%	48%	NA	HEDIS, Child Core Set
Breast Cancer Screening	61%	40%	55%	46%	NQ	44%	48%	43%	HEDIS, Adult Core Set
Controlling High Blood Pressure	64%	58%	64%	51%	NQ	53%	64%	54%	HEDIS, Adult Core Set
Postpartum Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception within 3 days of delivery	11%	12%	11%	10%	NQ	12%	9%	8%	Adult Core Set
Postpartum Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception within 60 days of delivery	36%	26%	34%	32%	NQ	33%	32%	32%	Adult Core Set
Postpartum Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC)within 3 days of delivery	0%	0%	1%	1%	NQ	1%	0%	0%	Adult Core Set

	MOL	MOL-SMI	SHP	SUN	SUN-CW	SUN-SMI	URA	BST	
Measure Name	Molina Healthcare	Molina Healthcare	Simply Healthcare	Sunshine Health	Sunshine Health	Sunshine Health	United Healthcare	Vivida	Measure Steward
Postpartum Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC) within 60 days of delivery	6%	4%	7%	6%	NQ	7%	8%	4%	Adult Core Set
Postpartum Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception within 3 days of delivery	0%	7%	3%	2%	0%	2%	1%	3%	Child Core Set
Postpartum Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception within 60 days of delivery	28%	24%	32%	30%	38%	29%	33%	26%	Child Core Set
Postpartum Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC) within 3 days of delivery	0%	3%	1%	1%	0%	1%	0%	0%	Child Core Set
Postpartum Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC) within 60 days of delivery	9%	4%	10%	8%	6%	7%	10%	6%	Child Core Set
Cervical Cancer Screening	64%	47%	62%	53%	NQ	46%	58%	46%	HEDIS, Adult Core Set
All Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC)	5%	2%	4%	4%	NQ	3%	4%	4%	Adult Core Set
All Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception	23%	13%	20%	21%	NQ	20%	21%	20%	Adult Core Set
All Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC)	2%	2%	2%	2%	2%	3%	2%	1%	Child Core Set
All Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception	17%	18%	16%	18%	22%	25%	19%	17%	Child Core Set
Comprehensive Diabetes Care - HbA1c Control (<8.0%)	54%	35%	58%	37%	NA	32%	51%	36%	HEDIS
Comprehensive Diabetes Care - Blood Pressure Controlled <140/90 mm Hg	62%	55%	66%	46%	NA	48%	65%	53%	HEDIS
Comprehensive Diabetes Care - Eye Exam	51%	30%	48%	43%	NA	37%	45%	12%	HEDIS
Comprehensive Diabetes Care - HbA1c Poor Control (>9.0%)	37%	57%	38%	57%	NA	64%	39%	54%	HEDIS
Comprehensive Diabetes Care - HbA1c Testing	86%	80%	85%	80%	NA	80%	84%	79%	HEDIS
Chlamydia Screening in Women - Ages 16-20 Years	61%	57%	61%	58%	63%	60%	55%	52%	HEDIS, Child Core Set
Chlamydia Screening in Women - Ages 21-24 Years	68%	66%	64%	64%	NA	65%	64%	59%	HEDIS, Adult Core Set
Chlamydia Screening in Women - Ages Total	63%	61%	62%	60%	63%	62%	59%	55%	HEDIS
Childhood Immunization Status - Combination 3	81%	NA	71%	68%	73%	NQ	64%	58%	HEDIS, Child Core Set
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence - Total - 30-day	13%	6%	9%	9%	3%	10%	9%	6%	HEDIS, Adult Core Set
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence - Total - 7-day	9%	3%	6%	6%	0%	7%	5%	4%	HEDIS, Adult Core Set
Follow-Up After Hospitalization for Mental Illness - Total - 30-day	58%	40%	57%	39%	70%	31%	47%	12%	HEDIS

