

		2022 MMA							
		COV	PRS	CMS	CHA	CCP	FCC	HUM	
Abbrv Code	Measure Name	Aetna Better Health	Amerihealth	Childrens Medical Services	Clear Health Alliance	Community Care Plan	Florida Community Care	Humana Medical Plan	Measure Steward
AAP	Adults' Access to Preventive/Ambulatory Health Services - Ages 20-44 years	55%	56%	70%	68%	44%	97%	60%	HEDIS
AAP	Adults' Access to Preventive/Ambulatory Health Services - Ages 45-64 years	67%	69%	NQ	83%	62%	95%	77%	HEDIS
AAP	Adults' Access to Preventive/Ambulatory Health Services - Ages 65+ years	70%	66%	NQ	79%	64%	86%	83%	HEDIS
AAP	Adults' Access to Preventive/Ambulatory Health Services - Total	58%	59%	70%	76%	49%	93%	65%	HEDIS
ADD	Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase	50%	75%	60%	NA	NA	NQ	59%	HEDIS, Child Core Set
ADD	Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase	42%	47%	48%	NA	42%	NQ	43%	HEDIS, Child Core Set
AMM	Antidepressant Medication Management - Effective Acute Phase Treatment	52%	51%	58%	55%	64%	76%	55%	HEDIS, Adult Core Set
AMM	Antidepressant Medication Management - Effective Continuation Phase Treatment	36%	34%	37%	37%	40%	73%	39%	HEDIS, Adult Core Set
AMR	Asthma Medication Ratio - Ages 12-18 Years	72%	79%	82%	NA	69%	NA	70%	HEDIS, Child Core Set
AMR	Asthma Medication Ratio - Ages 19-50 Years	59%	59%	78%	42%	49%	NA	60%	HEDIS, Adult Core Set
AMR	Asthma Medication Ratio - Ages 5-11 Years	79%	89%	86%	NA	82%	NQ	78%	HEDIS, Child Core Set
AMR	Asthma Medication Ratio - Ages 51-64 Years	59%	62%	NQ	36%	NA	NA	60%	HEDIS, Adult Core Set
AMR	Asthma Medication Ratio - Total	70%	78%	83%	39%	69%	NA	69%	HEDIS
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Blood Glucose and Cholesterol Testing	39%	36%	37%	NA	50%	NQ	34%	HEDIS, Child Core Set
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Blood Glucose Testing	57%	52%	54%	NA	67%	NQ	49%	HEDIS, Child Core Set
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Cholesterol Testing	39%	39%	38%	NA	52%	NQ	37%	HEDIS, Child Core Set
APP	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics - Ages Total	65%	69%	53%	NA	48%	NQ	64%	HEDIS, Child Core Set
BCS	Breast Cancer Screening	48%	50%	NQ	49%	51%	26%	53%	HEDIS, Adult Core Set
BPD	Blood Pressure Control for Patients with Diabetes	63%	54%	67%	59%	52%	24%	67%	HEDIS
CBP	Controlling High Blood Pressure	65%	57%	59%	60%	62%	43%	72%	HEDIS, Adult Core Set
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception within 3 days of delivery	10%	8%	NA	15%	7%	NA	9%	Adult Core Set
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception within 60 days of delivery	30%	29%	NA	36%	18%	NA	31%	Adult Core Set

		2022 MMA								
		COV	PRS	CMS	CHA	CCP	FCC	HUM		
Abbrv Code	Measure Name	Aetna Better Health	Amerihealth	Childrens Medical Services	Clear Health Alliance	Community Care Plan	Florida Community Care	Humana Medical Plan	Measure Steward	
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC)within 3 days of delivery	1%	0%	NA	4%	0%	NA	1%	Adult Core Set	
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC) within 60 days of delivery	7%	6%	NA	8%	2%	NA	6%	Adult Core Set	
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception within 3 days of delivery	2%	0%	2%	NA	NA	NA	5%	Child Core Set	
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception within 60 days of delivery	25%	27%	33%	NA	NA	NA	30%	Child Core Set	
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC)within 3 days of delivery	2%	0%	1%	NA	NA	NA	3%	Child Core Set	
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC) within 60 days of delivery	8%	10%	12%	NA	NA	NA	9%	Child Core Set	
CCS	Cervical Cancer Screening	55%	60%	NQ	57%	56%	7%	58%	HEDIS, Adult Core Set	
CCW-AD	All Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC)	4%	3%	3%	2%	1%	NA	3%	HEDIS, Adult Core Set	
CCW-AD	All Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception	19%	19%	26%	14%	12%	NA	18%	HEDIS, Adult Core Set	
CCW-AD	All Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC)	2%	1%	2%	0%	1%	NA	1%	HEDIS, Child Core Set	
CCW-AD	All Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception	13%	13%	18%	19%	7%	NA	15%	HEDIS, Child Core Set	
CHL	Chlamydia Screening in Women - Ages 16-20 Years	63%	70%	50%	64%	70%	NA	61%	HEDIS, Child Core Set	
CHL	Chlamydia Screening in Women - Ages 21-24 Years	68%	71%	57%	76%	65%	NA	66%	HEDIS, Adult Core Set	
CHL	Chlamydia Screening in Women - Ages Total	65%	70%	50%	73%	69%	NA	63%	HEDIS	
CIS	Childhood Immunization Status - Combination 3	73%	77%	78%	57%	65%	NQ	68%	HEDIS, Child Core Set	
EED	Eye Exam for Patients with Diabetes	44%	37%	38%	45%	55%	17%	54%	HEDIS	
FUA	Follow-Up After Emergency Department Visit for Substance Use: Total - 30-day	22%	29%	29%	32%	24%	NA	31%	HEDIS	
FUA	Follow-Up After Emergency Department Visit for Substance Use: Total - 7-day	15%	22%	20%	17%	16%	NA	19%	HEDIS	
FUH	Follow-Up After Hospitalization for Mental Illness - Total - 30-day	49%	55%	66%	32%	57%	15%	55%	HEDIS	
FUH	Follow-Up After Hospitalization for Mental Illness - Total -7 - day	30%	34%	41%	19%	37%	6%	34%	HEDIS	

		2022 MMA								
		COV	PRS	CMS	CHA	CCP	FCC	HUM		
Abbrv Code	Measure Name	Aetna Better Health	Amerihealth	Childrens Medical Services	Clear Health Alliance	Community Care Plan	Florida Community Care	Humana Medical Plan	Measure Steward	
FUM	Follow-Up After Emergency Department Visit for Mental Illness - Total - 30-day	36%	34%	57%	25%	37%	NA	46%	HEDIS	
FUM	Follow-Up After Emergency Department Visit for Mental Illness - Total - 7-day	27%	19%	41%	12%	22%	NA	28%	HEDIS	
HBD	Hemoglobin A1c Control for Patients with Diabetes - HbA1c control (<8.0%)	47%	48%	29%	62%	47%	9%	56%	HEDIS	
HBD	Hemoglobin A1c Control for Patients with Diabetes - HbA1c poor control (>9.0%)	44%	45%	62%	35%	44%	91%	34%	HEDIS	
IET	Total - Engagement of SUD	8%	7%	8%	10%	5%	NA	7%	HEDIS	
IET	Total - Initiation of SUD	41%	45%	51%	55%	38%	NA	41%	HEDIS	
IMA	Immunizations for Adolescents - Combination 1	76%	81%	78%	NA	78%	NQ	71%	HEDIS, Child Core Set	
IMA	Immunizations for Adolescents - Combination 2	38%	46%	40%	NA	36%	NQ	32%	HEDIS, Child Core Set	
KED	Kidney Health Evaluation for Patients with Diabetes - Total	41%	41%	33%	28%	43%	10%	41%	HEDIS	
LSC	Lead Screening in Children	67%	74%	69%	57%	70%	NQ	65%	HEDIS	
OHD-AD	Use of Opioids at High Dosage in Persons without Cancer - Ages 18 to 64	12%	28%	NA	19%	14%	8%	8%	HEDIS, Adult Core Set	
OHD-AD	Use of Opioids at High Dosage in Persons without Cancer - Ages 65 and older	NA	NA	NQ	NA	NA	NA	5%	HEDIS, Adult Core Set	
ODU-AD	Use of Pharmacotherapy for Opioid Use Disorder - Ages 18-64 Years - Total	39%	38%	10%	45%	5%	NA	67%	Adult Core Set	
PCR	Plan All-Cause Readmissions - 30 Day Readmissions - Ages 18-64 Total	9%	10%	11%	13%	10%	19%	10%	HEDIS, Adult Core Set	
PPC	Postpartum Care (total)	82%	77%	69%	68%	76%	NA	75%	HEDIS, Adult Core Set	
PPC	Timeliness of Prenatal Care (total)	86%	83%	63%	74%	83%	NA	78%	HEDIS, Child Core Set	
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	57%	55%	59%	44%	52%	90%	62%	HEDIS, Adult Core Set	
SSD	Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	81%	79%	73%	94%	79%	89%	82%	HEDIS, Adult Core Set	
VLS	HIV Viral Load Suppression - Ages 18 to 64	27%	1%	75%	69%	15%	NA	40%	HEDIS	
VLS	HIV Viral Load Suppression - Ages 65 and older	NA	NA	NQ	59%	NA	NA	38%	HEDIS	
W30	Well-Child Visits - Ages 15 - 30 Months - 2 or More Visits	76%	79%	81%	58%	70%	NQ	72%	HEDIS, Child Core Set	
W30	Well-Child Visits - Ages 0 - 15 Months - 6 or More Visits	64%	66%	38%	NA	65%	NQ	62%	HEDIS, Child Core Set	
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Total - BMI Percentile	90%	91%	78%	94%	88%	NQ	94%	HEDIS, Child Core Set	
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Total - Counseling for Nutrition	87%	90%	73%	86%	82%	NQ	86%	HEDIS, Child Core Set	
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Total - Counseling for Physical Activity	86%	89%	70%	80%	82%	NQ	85%	HEDIS, Child Core Set	

		2022 MMA								
		MOL	MOL-SMI	SHP	SUN	SUN-CW	SUN-SMI	URA		
Abbrv Code	Measure Name	Molina Healthcare	Molina Healthcare	Simply Healthcare	Sunshine Health	Sunshine Health	Sunshine Health	United Healthcare	Measure Steward	
AAP	Adults' Access to Preventive/Ambulatory Health Services - Ages 20-44 years	62%	61%	55%	57%	65%	68%	59%	HEDIS	
AAP	Adults' Access to Preventive/Ambulatory Health Services - Ages 45-64 years	75%	72%	72%	71%	NQ	78%	76%	HEDIS	
AAP	Adults' Access to Preventive/Ambulatory Health Services - Ages 65+ years	77%	67%	79%	73%	NQ	76%	82%	HEDIS	
AAP	Adults' Access to Preventive/Ambulatory Health Services - Total	66%	63%	60%	60%	65%	70%	65%	HEDIS	
ADD	Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase	62%	NA	61%	61%	62%	60%	64%	HEDIS, Child Core Set	
ADD	Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase	47%	40%	47%	48%	53%	51%	46%	HEDIS, Child Core Set	
AMM	Antidepressant Medication Management - Effective Acute Phase Treatment	57%	55%	63%	60%	55%	58%	65%	HEDIS, Adult Core Set	
AMM	Antidepressant Medication Management - Effective Continuation Phase Treatment	43%	37%	45%	40%	29%	40%	45%	HEDIS, Adult Core Set	
AMR	Asthma Medication Ratio - Ages 12-18 Years	76%	66%	68%	73%	75%	69%	76%	HEDIS, Child Core Set	
AMR	Asthma Medication Ratio - Ages 19-50 Years	71%	54%	58%	63%	NA	59%	58%	HEDIS, Adult Core Set	
AMR	Asthma Medication Ratio - Ages 5-11 Years	89%	NA	80%	80%	86%	73%	81%	HEDIS, Child Core Set	
AMR	Asthma Medication Ratio - Ages 51-64 Years	71%	53%	62%	63%	NQ	60%	65%	HEDIS, Adult Core Set	
AMR	Asthma Medication Ratio - Total	80%	55%	70%	73%	81%	60%	72%	HEDIS	
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Blood Glucose and Cholesterol Testing	35%	35%	34%	31%	40%	35%	36%	HEDIS, Child Core Set	
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Blood Glucose Testing	54%	52%	51%	47%	55%	56%	52%	HEDIS, Child Core Set	
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total - Cholesterol Testing	36%	35%	36%	33%	42%	37%	37%	HEDIS, Child Core Set	
APP	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics - Ages Total	78%	59%	62%	58%	66%	55%	50%	HEDIS, Child Core Set	
BCS	Breast Cancer Screening	61%	40%	54%	49%	NQ	46%	49%	HEDIS, Adult Core Set	
BPD	Blood Pressure Control for Patients with Diabetes	69%	55%	69%	62%	NA	54%	68%	HEDIS	
CBP	Controlling High Blood Pressure	71%	58%	67%	56%	NA	61%	68%	HEDIS, Adult Core Set	
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception within 3 days of delivery	12%	13%	10%	10%	NA	12%	11%	Adult Core Set	
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception within 60 days of delivery	34%	28%	33%	30%	NA	31%	33%	Adult Core Set	

		2022 MMA								
		MOL	MOL-SMI	SHP	SUN	SUN-CW	SUN-SMI	URA		
Abbrv Code	Measure Name	Molina Healthcare	Molina Healthcare	Simply Healthcare	Sunshine Health	Sunshine Health	Sunshine Health	United Healthcare	Measure Steward	
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC)within 3 days of delivery	0%	2%	1%	1%	NA	1%	1%	Adult Core Set	
CCP-AD	Postpartum Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC) within 60 days of delivery	6%	6%	6%	6%	NA	6%	8%	Adult Core Set	
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception within 3 days of delivery	1%	4%	2%	1%	2%	3%	2%	Child Core Set	
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception within 60 days of delivery	25%	24%	31%	29%	35%	32%	33%	Child Core Set	
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC)within 3 days of delivery	0%	1%	1%	1%	1%	2%	1%	Child Core Set	
CCP-CH	Postpartum Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC) within 60 days of delivery	10%	8%	7%	7%	13%	8%	10%	Child Core Set	
CCS	Cervical Cancer Screening	65%	41%	59%	56%	NQ	50%	56%	HEDIS, Adult Core Set	
CCW-AD	All Women Ages 21 to 44 Who were provided a long-acting reversible method of contraception (LARC)	4%	2%	3%	3%	NQ	3%	4%	HEDIS, Adult Core Set	
CCW-AD	All Women Ages 21 to 44 Who were provided a most effective or moderately effective method of contraception	20%	13%	18%	18%	NQ	17%	19%	HEDIS, Adult Core Set	
CCW-AD	All Women Ages 15 to 20 Who were provided a long-acting reversible method of contraception (LARC)	2%	2%	1%	1%	2%	3%	2%	HEDIS, Child Core Set	
CCW-AD	All Women Ages 15 to 20 Who were provided a most effective or moderately effective method of contraception	15%	17%	14%	16%	21%	22%	16%	HEDIS, Child Core Set	
CHL	Chlamydia Screening in Women - Ages 16-20 Years	61%	59%	63%	60%	64%	61%	56%	HEDIS, Child Core Set	
CHL	Chlamydia Screening in Women - Ages 21-24 Years	66%	67%	63%	66%	NQ	68%	63%	HEDIS, Adult Core Set	
CHL	Chlamydia Screening in Women - Ages Total	63%	63%	63%	62%	64%	64%	59%	HEDIS	
CIS	Childhood Immunization Status - Combination 3	77%	NA	71%	68%	74%	NQ	68%	HEDIS, Child Core Set	
EED	Eye Exam for Patients with Diabetes	49%	33%	51%	43%	NQ	43%	43%	HEDIS	
FUA	Follow-Up After Emergency Department Visit for Substance Use: Total - 30-day	26%	23%	29%	23%	36%	29%	25%	HEDIS	
FUA	Follow-Up After Emergency Department Visit for Substance Use: Total - 7-day	20%	15%	17%	15%	20%	18%	17%	HEDIS	
FUH	Follow-Up After Hospitalization for Mental Illness - Total - 30-day	54%	39%	55%	49%	68%	43%	46%	HEDIS	
FUH	Follow-Up After Hospitalization for Mental Illness - Total -7 - day	32%	21%	34%	29%	42%	25%	28%	HEDIS	

		2022 MMA								
		MOL	MOL-SMI	SHP	SUN	SUN-CW	SUN-SMI	URA		
Abbrv Code	Measure Name	Molina Healthcare	Molina Healthcare	Simply Healthcare	Sunshine Health	Sunshine Health	Sunshine Health	United Healthcare	Measure Steward	
FUM	Follow-Up After Emergency Department Visit for Mental Illness - Total - 30-day	46%	37%	48%	39%	63%	35%	42%	HEDIS	
FUM	Follow-Up After Emergency Department Visit for Mental Illness - Total - 7-day	31%	26%	33%	28%	39%	24%	30%	HEDIS	
HBD	Hemoglobin A1c Control for Patients with Diabetes - HbA1c control (<8.0%)	54%	41%	62%	44%	NQ	39%	53%	HEDIS	
HBD	Hemoglobin A1c Control for Patients with Diabetes - HbA1c poor control (>9.0%)	41%	53%	35%	48%	NQ	55%	41%	HEDIS	
IET	Total - Engagement of SUD	8%	6%	7%	7%	8%	8%	7%	HEDIS	
IET	Total - Initiation of SUD	40%	53%	36%	42%	54%	51%	40%	HEDIS	
IMA	Immunizations for Adolescents - Combination 1	78%	46%	78%	72%	75%	75%	69%	HEDIS, Child Core Set	
IMA	Immunizations for Adolescents - Combination 2	43%	21%	38%	36%	38%	39%	32%	HEDIS, Child Core Set	
KED	Kidney Health Evaluation for Patients with Diabetes - Total	44%	28%	43%	36%	NA	32%	34%	HEDIS	
LSC	Lead Screening in Children	69%	NQ	65%	65%	73%	NQ	66%	HEDIS	
OHD-AD	Use of Opioids at High Dosage in Persons without Cancer - Ages 18 to 64	12%	7%	15%	12%	NA	8%	12%	HEDIS, Adult Core Set	
OHD-AD	Use of Opioids at High Dosage in Persons without Cancer - Ages 65 and older	NA	NA	8%	15%	NQ	27%	8%	HEDIS, Adult Core Set	
ODU-AD	Use of Pharmacotherapy for Opioid Use Disorder - Ages 18-64 Years - Total	40%	44%	42%	59%	NA	53%	57%	Adult Core Set	
PCR	Plan All-Cause Readmissions - 30 Day Readmissions - Ages 18-64 Total	10%	11%	9%	10%	17%	13%	10%	HEDIS, Adult Core Set	
PPC	Postpartum Care (total)	78%	51%	73%	72%	72%	68%	78%	HEDIS, Adult Core Set	
PPC	Timeliness of Prenatal Care (total)	86%	57%	82%	79%	68%	69%	81%	HEDIS, Child Core Set	
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	64%	54%	67%	61%	NA	52%	68%	HEDIS, Adult Core Set	
SSD	Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	82%	71%	79%	79%	87%	76%	80%	HEDIS, Adult Core Set	
VLS	HIV Viral Load Suppression - Ages 18 to 64	20%	22%	65%	63%	NA	48%	51%	HEDIS	
VLS	HIV Viral Load Suppression - Ages 65 and older	NA	NA	67%	41%	NQ	NA	34%	HEDIS	
W30	Well-Child Visits - Ages 15 - 30 Months - 2 or More Visits	80%	NQ	72%	70%	84%	NQ	71%	HEDIS, Child Core Set	
W30	Well-Child Visits - Ages 0 - 15 Months - 6 or More Visits	63%	NQ	59%	58%	51%	NQ	64%	HEDIS, Child Core Set	
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Total - BMI Percentile	85%	79%	87%	77%	86%	76%	92%	HEDIS, Child Core Set	
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Total - Counseling for Nutrition	76%	68%	82%	71%	76%	67%	83%	HEDIS, Child Core Set	
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Total - Counseling for Physical Activity	74%	66%	82%	68%	74%	65%	81%	HEDIS, Child Core Set	

