			[Health Plar	าร		
	Aetna		Children's			Florida	
	Better		Medical		Community	Community	
Performance Measures	Health	AmeriHealth	Services	Clear Health	Care Plan	Care	Measure Source
Adherence to Antipsychotic Medications for							HEDIS, Adult
Individuals with Schizophrenia (SAA)	71%	63%	65%	47%	51%	89%	Core Set
Adults' Access to Preventive/Ambulatory Health							
Services - ages 20-44 (AAP)	61%	64%	N/A	78%	55%	88%	HEDIS
Adults' Access to Preventive/Ambulatory Health							
Services - ages 45-64 (AAP)	77%	80%	N/A	90%	75%	93%	HEDIS
Adults' Access to Preventive/Ambulatory Health							
Services - ages 65+ (AAP)	78%	78%	N/A	87%	67%	85%	HEDIS
Adults' Access to Preventive/Ambulatory Health							
Services -Total (AAP)	66%	68%	N/A	86%	61%	91%	HEDIS
Antidepressant Medication Management -							HEDIS, Adult
Effective Acute Phase Treatment (AMM)	59%	50%	48%	50%	44%	**	Core Set
Antidepressant Medication Management -							HEDIS, Adult
Effective Continuation Phase Treatment (AMM)	42%	35%	34%	36%	32%	* *	Core Set
							HEDIS, Child
Asthma Medication Ratio- 12-18 years (AMR)	73%	74%	83%	**	76%	* *	Core Set
							HEDIS, Adult
Asthma Medication Ratio- 19-50 years (AMR)	65%	55%	80%	31%	52%	* *	Core Set
							HEDIS, Child
Asthma Medication Ratio- 5-11 years (AMR)	87%	91%	89%	* *	84%	* *	Core Set

	Health Plans								
	Aetna		Children's			Florida			
	Better		Medical		Community	Community			
Performance Measures	Health	AmeriHealth	Services	Clear Health	Care Plan	Care	Measure Source		
							HEDIS, Adult		
Asthma Medication Ratio- 51-64 years (AMR)	57%	51%	N/A	33%	**	* *	Core Set		
Asthma Medication Ratio- Total (AMR)	77%	76%	86%	32%	75%	* *	HEDIS		
							HEDIS, Adult		
Breast Cancer Screening (BCS)	60%	53%	N/A	51%	56%	N/A	Core Set		
							HEDIS, Adult		
Cervical Cancer Screening (CCS)	61%	62%	N/A	61%	65%	3%	Core Set		
Childhood Immunization Status - Combination 2							HEDIS, Child		
(CIS)	75%	80%	75%	**	70%	N/A	Core Set		
Childhood Immunization Status - Combination 3							HEDIS, Child		
(CIS)	73%	78%	71%	**	68%	N/A	Core Set		
Child and Adolescents' Well-Care Visit - Ages 12-									
17 Years (WCV)	55%	64%	68%	42%	56%	N/A	HEDIS		
Child and Adolescents' Well-Care Visit - Ages 18-	2 221				0- 0 (
21 Years (WCV)	33%	38%	46%	23%	37%	N/A	HEDIS		
Child and Adolescents' Well-Care Visit - Ages 3-11									
Years (WCV)	63%	71%	74%	48%	64%	N/A	HEDIS		
Child and Adolescents' Well-Care Visit - Ages Total									
Years (WCV)	57%	66%	69%	38%	59%	N/A	HEDIS		

			I	Health Plar	ıs		
	Aetna		Children's			Florida	
	Better		Medical		Community	Community	
Performance Measures	Health	AmeriHealth	Services	Clear Health	Care Plan	Care	Measure Source
Chlamydia Screening in Women - 16-20 years							HEDIS, Child
(CHL)	66%	72%	49%	83%	63%	**	Core Set
Chlamydia Screening in Women - 21-24 years							HEDIS, Adult
(CHL)	74%	73%	**	70%	70%	**	Core Set
Chlamydia Screening in Women - Total (CHL)	68%	72%	49%	75%	65%	* *	HEDIS
	0070	7270	4570	7570	0370		
Comprehensive Diabetes Care - Eye Exam (CDC)	42%	48%	40%	43%	51%	5%	HEDIS
Comprehensive Diabetes Care - HbA1C Good							
Control (CDC)	44%	42%	19%	59%	44%	8%	HEDIS
Comprehensive Diabetes Care - HbA1C Poor							HEDIS, Adult
Control (INVERSE) (CDC)	46%	51%	74%	38%	49%	92%	Core Set
Comprehensive Diabetes Care - HbA1C Testing							HEDIS, Adult
(CDC)	82%	82%	78%	82%	79%	65%	Core Set
Contraceptive Care - All Women Ages 15 - 20 MC							
(CCW-CH)	15%	15%	21%	22%	11%	N/A	Child Core Set
Contraceptive Care - All Women Ages 15 - 20 LARC							
(CCW-CH)	2%	1%	2%	2%	1%	N/A	Child Core Set
Contraceptive Care - All Women Ages 21 - 44 MC							
(CCW-AD)	23%	25%	**	14%	18%	N/A	Adult Core Set

	Health Plans								
	Aetna		Children's			Florida			
	Better		Medical		Community	Community			
Performance Measures	Health	AmeriHealth	Services	Clear Health	Care Plan	Care	Measure Source		
Contraceptive Care - All Women Ages 21 - 44 LARC									
(CCW-AD)	6%	6%	**	2%	4%	N/A	Adult Core Set		
Contraceptive Care - Postpartum Women Ages 15-	20/	10/	20/	**	00/	NI/A	Child Care Sat		
20 within 3 days of delivery MC (CCP-CH)	2%	1%	3%		0%	N/A	Child Core Set		
Contraceptive Care - Postpartum Women Ages 15- 20 within 3 days of delivery LARC (CCP-CH)	0%	0%	0%	* *	0%	N/A	Child Core Set		
Contraceptive Care - Postpartum Women Ages 15- 20 within 60 days of delivery MC (CCP-CH)	33%	36%	34%	**	36%	N/A	Child Core Set		
Contraceptive Care - Postpartum Women Ages 15- 20 within 60 days of delivery LARC (CCP-CH)	8%	9%	4%	**	6%	N/A	Child Core Set		
Contraceptive Care - Postpartum women Ages 21- 44 within 3 days of delivery MC (CCP-AD)	11%	9%	**	23%	8%	N/A	Adult Core Set		
Contraceptive Care - Postpartum women Ages 21- 44 within 3 days of delivery LARC (CCP-AD)	1%	0%	* *	5%	0%	N/A	Adult Core Set		
Contraceptive Care - Postpartum women Ages 21- 44 within 60 days of delivery MC (CCP-AD)	35%	35%	**	39%	28%	N/A	Adult Core Set		
Contraceptive Care - Postpartum women Ages 21- 44 within 60 days of delivery LARC (CCP-AD)	9%	9%	**	9%	5%	N/A	Adult Core Set		

	Health Plans									
	Aetna		Children's			Florida				
	Better		Medical		Community	Community				
Performance Measures	Health	AmeriHealth	Services	Clear Health	Care Plan	Care	Measure Source			
							HEDIS, Adult			
Controlling High Blood Pressure (CBP)	63%	51%	46%	55%	47%	34%	Core Set			
Diabetes Screening for People with Schizophrenia										
or Bipolar Disorder Who Are Using Antipsychotic							HEDIS, Adult			
Medications (SSD)	75%	79%	74%	95%	73%	78%	Core Set			
Engagement of Alcohol and Other Drug							HEDIS, Adult			
Dependence Treatment - Total (IET)	5%	6%	9%	6%	5%	5%	Core Set			
Follow-up After Emergency Department Visit for										
Alcohol and Other Drug Dependence - 30 Day -							HEDIS, Adult			
Total (FUA)	6%	17%	0%	9%	7%	* *	Core Set			
Follow-up After Emergency Department Visit for										
Alcohol and Other Drug Dependence - 7 Day -							HEDIS, Adult			
Total (FUA)	6%	14%	0%	8%	2%	**	Core Set			
Follow-up After Emergency Department Visit for							HEDIS, Adult			
Mental Illness - 30 Day (FUM)	44%	41%	56%	35%	41%	**	Core Set			
Follow-up After Emergency Department Visit for							HEDIS, Adult			
Mental Illness - 7 Day (FUM)	28%	26%	35%	24%	27%	* *	Core Set			
Follow-up After Hospitalization for Mental Illesss-										
30 Day (FUH)	57%	60%	70%	27%	49%	25%	HEDIS			

	Health Plans									
	Aetna		Children's			Florida				
	Better		Medical		Community	Community				
Performance Measures	Health	AmeriHealth	Services	Clear Health	Care Plan	Care	Measure Source			
Follow-up After Hospitalization for Mental Illesss-										
7 Day (FUH)	37%	40%	46%	15%	31%	10%	HEDIS			
Follow-up Care for Children Prescribed ADHD										
Medication - Continuation and Maintenance							HEDIS, Child			
Phase (ADD)	60%	49%	59%	**	* *	N/A	Core Set			
Follow-up Care for Children Prescribed ADHD							HEDIS, Child			
Medication - Initiation Phase (ADD)	44%	44%	50%	**	38%	N/A	Core Set			
Immunization for Adolescents - Combination 1							HEDIS, Child			
(IMA)	73%	82%	74%	**	75%	N/A	Core Set			
Immunizations for Adolescents - Combination 2							HEDIS, Child			
(IMA)	37%	53%	38%	* *	34%	N/A	Core Set			
Initation of Alcohol and Other Drug Dependence							HEDIS, Adult			
Treatment - Total (IET)	40%	46%	53%	51%	30%	70%	Core Set			
Lead Screening in Children (LSC)	74%	81%	78%	**	79%	N/A	HEDIS			
Metabolic Monitoring for Children and										
Adolescents on Antipsychotics - 1-17- Total- Blood							HEDIS, Child			
Gluclose and Cholesterol Testing (APM)	41%	43%	34%	**	35%	N/A	Core Set			
Plan All-Cause Readmissions - ages 18-64 years -							HEDIS, Adult			
Total (Observed Readmission Rate)(PCR)	11%	11%	N/A	13%	13%	* *	Core Set			

	Health Plans									
	Aetna		Children's			Florida				
	Better		Medical		Community	Community				
Performance Measures	Health	AmeriHealth	Services	Clear Health	Care Plan	Care	Measure Source			
							HEDIS, Adult			
Postpartum Care (PPC)	81%	81%	55%	69%	81%	* *	Core Set			
							HEDIS, Adult			
							Core Set, Child			
Timeliness of Prenatal Care (PPC)	89%	91%	77%	77%	92%	* *	Core Set			
Use of First-Line Psychosocial Care for Children							HEDIS, Child			
and Adolescents on Antipsychotics - Total (APP)	68%	78%	57%	**	49%	N/A	Core Set			
Use of Opioids at High Dosage (HDO)	13%	23%	N/A	23%	11%	11%	HEDIS			
Use of Pharmacotherapy for Opioid Use Disorder -										
Ages 18-64 Years - Total (OUD)	26%	31%	**	28%	4%	**	Adult Core Set			

		Health Plans								
Performance Measures	Humana	Lighthouse	Magellan	Miami Children	Molina	Simply	Measure Source			
Adherence to Antipsychotic Medications for			Ŭ			. ,	HEDIS, Adult			
Individuals with Schizophrenia (SAA)	65%	68%	56%	**	73%	69%	Core Set			
Adults' Access to Preventive/Ambulatory Health										
Services - ages 20-44 (AAP)	68%	51%	67%	46%	70%	65%	HEDIS			
Adults' Access to Preventive/Ambulatory Health										
Services - ages 45-64 (AAP)	86%	65%	79%	59%	85%	84%	HEDIS			
Adults' Access to Preventive/Ambulatory Health										
Services - ages 65+ (AAP)	88%	74%	76%	67%	77%	89%	HEDIS			
Adults' Access to Preventive/Ambulatory Health										
Services -Total (AAP)	77%	54%	71%	50%	75%	73%	HEDIS			
Antidepressant Medication Management -							HEDIS, Adult			
Effective Acute Phase Treatment (AMM)	57%	43%	52%	47%	67%	59%	Core Set			
Antidepressant Medication Management -							HEDIS, Adult			
Effective Continuation Phase Treatment (AMM)	41%	30%	40%	31%	53%	46%	Core Set			
							HEDIS, Child			
Asthma Medication Ratio- 12-18 years (AMR)	75%	68%	62%	**	77%	71%	Core Set			
							HEDIS, Adult			
Asthma Medication Ratio- 19-50 years (AMR)	65%	**	56%	* *	64%	56%	Core Set			
							HEDIS, Child			
Asthma Medication Ratio- 5-11 years (AMR)	75%	85%	* *	* *	90%	81%	Core Set			

		Health Plans							
Performance Measures	Humana	Lighthouse	Magellan	Miami Children	Molina	Simply	Measure Source		
Asthma Medication Ratio- 51-64 years (AMR)	60%	**	57%	**	67%	57%	HEDIS, Adult Core Set		
Asthma Medication Ratio- Total (AMR)	71%	74%	57%	63%	80%	72%	HEDIS		
Breast Cancer Screening (BCS)	55%	**	40%	**	62%	61%	HEDIS, Adult Core Set		
Cervical Cancer Screening (CCS)	57%	40%	46%	40%	66%	55%	HEDIS, Adult Core Set		
Childhood Immunization Status - Combination 2 (CIS)	74%	58%	N/A	46%	88%	77%	HEDIS, Child Core Set		
Childhood Immunization Status - Combination 3 (CIS)	69%	54%	N/A	44%	87%	74%	HEDIS, Child Core Set		
Child and Adolescents' Well-Care Visit - Ages 12- 17 Years (WCV)	53%	44%	39%	53%	58%	62%	HEDIS		
Child and Adolescents' Well-Care Visit - Ages 18- 21 Years (WCV)	33%	20%	17%	25%	39%	37%	HEDIS		
Child and Adolescents' Well-Care Visit - Ages 3-11 Years (WCV)	62%	55%	41%	60%	65%	67%	HEDIS		
Child and Adolescents' Well-Care Visit - Ages Total Years (WCV)	56%	48%	29%	53%	60%	62%	HEDIS		

		Health Plans							
Performance Measures	Humana	Lighthouse	Magellan	Miami Children	Molina	Simply	Measure Source		
Chlamydia Screening in Women - 16-20 years (CHL)	64%	45%	58%	65%	62%	66%	HEDIS, Child Core Set		
Chlamydia Screening in Women - 21-24 years (CHL)	70%	53%	68%	63%	72%	72%	HEDIS, Adult Core Set		
Chlamydia Screening in Women - Total (CHL)	66%	48%	62%	65%	65%	67%	HEDIS		
Comprehensive Diabetes Care - Eye Exam (CDC)	60%	13%	33%	6%	56%	47%	HEDIS		
Comprehensive Diabetes Care - HbA1C Good Control (CDC)	54%	35%	31%	20%	53%	58%	HEDIS		
Comprehensive Diabetes Care - HbA1C Poor Control (INVERSE) (CDC)	36%	61%	64%	75%	39%	38%	HEDIS, Adult Core Set		
Comprehensive Diabetes Care - HbA1C Testing (CDC)	85%	74%	76%	78%	86%	82%	HEDIS, Adult Core Set		
Contraceptive Care - All Women Ages 15 - 20 MC (CCW-CH)	17%	**	22%	**	17%	16%	Child Core Set		
Contraceptive Care - All Women Ages 15 - 20 LARC (CCW-CH)	2%	**	3%	**	3%	2%	Child Core Set		
Contraceptive Care - All Women Ages 21 - 44 MC (CCW-AD)	21%	16%	15%	12%	25%	22%	Adult Core Set		

				Health I	Plans	1	
Performance Measures	Humana	Lighthouse	Magellan	Miami Children	Molina	Simply	Measure Source
Contraceptive Care - All Women Ages 21 - 44							
LARC (CCW-AD)	4%	2%	2%	1%	5%	4%	Adult Core Set
Contraceptive Care - Postpartum Women Ages 15- 20 within 3 days of delivery MC (CCP-CH)	2%	**	2%	**	3%	1%	Child Core Set
Contraceptive Care - Postpartum Women Ages 15- 20 within 3 days of delivery LARC (CCP-CH)	1%	**	1%	**	1%	1%	Child Core Set
Contraceptive Care - Postpartum Women Ages 15- 20 within 60 days of delivery MC (CCP-CH)	31%	**	25%	**	26%	32%	Child Core Set
Contraceptive Care - Postpartum Women Ages 15- 20 within 60 days of delivery LARC (CCP-CH)	6%	**	10%	**	8%	11%	Child Core Set
Contraceptive Care - Postpartum women Ages 21- 44 within 3 days of delivery MC (CCP-AD)	11%	**	10%	**	12%	14%	Adult Core Set
Contraceptive Care - Postpartum women Ages 21- 44 within 3 days of delivery LARC (CCP-AD)	1%	**	0%	**	0%	1%	Adult Core Set
Contraceptive Care - Postpartum women Ages 21- 44 within 60 days of delivery MC (CCP-AD)	36%	**	29%	**	39%	39%	Adult Core Set
Contraceptive Care - Postpartum women Ages 21- 44 within 60 days of delivery LARC (CCP-AD)	7%	**	4%	**	7%	9%	Adult Core Set

		Health Plans								
Performance Measures	Humana	Lighthouse	Magellan	Miami Children	Molina	Simply	Measure Source			
Controlling High Blood Pressure (CBP)	62%	45%	54%	43%	62%	68%	HEDIS, Adult Core Set			
Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	80%	68%	68%	**	78%	77%	HEDIS, Adult Core Set			
Engagement of Alcohol and Other Drug Dependence Treatment - Total (IET)	6%	3%	6%	6%	6%	8%	HEDIS, Adult Core Set			
Follow-up After Emergency Department Visit for Alcohol and Other Drug Dependence - 30 Day - Total (FUA)	9%	4%	7%	10%	11%	11%	HEDIS, Adult Core Set			
Follow-up After Emergency Department Visit for Alcohol and Other Drug Dependence - 7 Day - Total (FUA)	6%	4%	5%	10%	7%	8%	HEDIS, Adult Core Set			
Follow-up After Emergency Department Visit for Mental Illness - 30 Day (FUM)	46%	47%	37%	49%	55%	51%	HEDIS, Adult Core Set			
Follow-up After Emergency Department Visit for Mental Illness - 7 Day (FUM)	29%	31%	23%	35%	30%	37%	HEDIS, Adult Core Set			
Follow-up After Hospitalization for Mental Illesss- 30 Day (FUH)	55%	2%	42%	16%	59%	55%	HEDIS			

		Health Plans							
Performance Measures	Humana	Lighthouse	Magellan	Miami Children	Molina	Simply	Measure Source		
Follow-up After Hospitalization for Mental Illesss- 7 Day (FUH)	35%	1%	24%	8%	38%	34%	HEDIS		
Follow-up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase (ADD)	60%	39%	**	**	57%	68%	HEDIS, Child Core Set		
Follow-up Care for Children Prescribed ADHD Medication - Initiation Phase (ADD)	43%	35%	30%	40%	43%	50%	HEDIS, Child Core Set		
Immunization for Adolescents - Combination 1 (IMA)	73%	54%	50%	57%	80%	81%	HEDIS, Child Core Set		
Immunizations for Adolescents - Combination 2 (IMA)	36%	22%	19%	26%	47%	45%	HEDIS, Child Core Set		
Initation of Alcohol and Other Drug Dependence Treatment - Total (IET)	45%	32%	53%	46%	32%	42%	HEDIS, Adult Core Set		
Lead Screening in Children (LSC)	73%	60%	N/A	66%	79%	79%	HEDIS		
Metabolic Monitoring for Children and Adolescents on Antipsychotics - 1-17- Total- Blood Gluclose and Cholesterol Testing (APM)	32%	23%	30%	**	35%	34%	HEDIS, Child Core Set		
Plan All-Cause Readmissions - ages 18-64 years - Total (Observed Readmission Rate)(PCR)	12%	12%	12%	* *	10%	11%	HEDIS, Adult Core Set		

		Health Plans								
Performance Measures	Humana	Lighthouse	Magellan	Miami Children	Molina	Simply	Measure Source			
Postpartum Care (PPC)	74%	63%	48%	67%	75%	74%	HEDIS, Adult Core Set			
Timeliness of Prenatal Care (PPC)	81%	77%	61%	73%	89%	86%	HEDIS, Adult Core Set, Child Core Set			
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics - Total (APP)	63%	**	66%	**	70%	68%	HEDIS, Child Core Set			
Use of Opioids at High Dosage (HDO)	8%	0%	12%	7%	10%	22%	HEDIS			
Use of Pharmacotherapy for Opioid Use Disorder - Ages 18-64 Years - Total (OUD)	37%	**	37%	**	30%	34%	Adult Core Set			

	Health Plans								
Performance Measures	Staywell	Staywell- SMI	Sunshine	Sunshine - Child Welfare	United	Vivida	Measure Source		
Adherence to Antipsychotic Medications for							HEDIS, Adult		
Individuals with Schizophrenia (SAA)	58%	56%	70%	**	69%	**	Core Set		
Adults' Access to Preventive/Ambulatory Health									
Services - ages 20-44 (AAP)	70%	75%	61%	61%	65%	54%	HEDIS		
Adults' Access to Preventive/Ambulatory Health									
Services - ages 45-64 (AAP)	85%	86%	76%	N/A	83%	67%	HEDIS		
Adults' Access to Preventive/Ambulatory Health									
Services - ages 65+ (AAP)	80%	77%	82%	N/A	82%	73%	HEDIS		
Adults' Access to Preventive/Ambulatory Health									
Services -Total (AAP)	75%	79%	66%	61%	73%	60%	HEDIS		
Antidepressant Medication Management -							HEDIS, Adult		
Effective Acute Phase Treatment (AMM)	55%	54%	58%	48%	56%	68%	Core Set		
Antidepressant Medication Management -							HEDIS, Adult		
Effective Continuation Phase Treatment (AMM)	39%	38%	40%	36%	42%	52%	Core Set		
							HEDIS, Child Core		
Asthma Medication Ratio- 12-18 years (AMR)	76%	74%	72%	73%	74%	* *	Set		
							HEDIS, Adult		
Asthma Medication Ratio- 19-50 years (AMR)	57%	54%	60%	* *	60%	* *	Core Set		
							HEDIS, Child Core		
Asthma Medication Ratio- 5-11 years (AMR)	84%	63%	82%	85%	85%	* *	Set		

	Health Plans							
Performance Measures	Staywell	Staywell- SMI	Sunshine	Sunshine - Child Welfare	United	Vivida	Measure Source	
Asthma Medication Ratio- 51-64 years (AMR)	57%	54%	61%	N/A	59%	**	HEDIS, Adult Core Set	
Asthma Medication Ratio- Total (AMR)	74%	58%	74%	81%	73%	79%	HEDIS	
Breast Cancer Screening (BCS)	54%	50%	54%	N/A	48%	**	HEDIS, Adult Core Set	
Cervical Cancer Screening (CCS)	53%	45%	57%	N/A	54%	36%	HEDIS, Adult Core Set	
Childhood Immunization Status - Combination 2 (CIS)	73%	N/A	74%	86%	72%	4%	HEDIS, Child Core Set	
Childhood Immunization Status - Combination 3 (CIS)	70%	N/A	70%	80%	68%	4%	HEDIS, Child Core Set	
Child and Adolescents' Well-Care Visit - Ages 12- 17 Years (WCV)	57%	51%	51%	59%	48%	53%	HEDIS	
Child and Adolescents' Well-Care Visit - Ages 18- 21 Years (WCV)	29%	26%	29%	37%	25%	28%	HEDIS	
Child and Adolescents' Well-Care Visit - Ages 3-11 Years (WCV)	65%	56%	60%	70%	58%	60%	HEDIS	
Child and Adolescents' Well-Care Visit - Ages Total Years (WCV)	59%	41%	54%	65%	51%	55%	HEDIS	

	Health Plans							
Performance Measures	Staywell	Staywell- SMI	Sunshine	Sunshine - Child Welfare	United	Vivida	Measure Source	
Chlamydia Screening in Women - 16-20 years (CHL)	59%	64%	64%	72%	57%	52%	HEDIS, Child Core Set	
Chlamydia Screening in Women - 21-24 years (CHL)	68%	70%	69%	N/A	67%	55%	HEDIS, Adult Core Set	
Chlamydia Screening in Women - Total (CHL)	62%	66%	65%	72%	60%	53%	HEDIS	
Comprehensive Diabetes Care - Eye Exam (CDC)	41%	34%	46%	* *	47%	13%	HEDIS	
Comprehensive Diabetes Care - HbA1C Good Control (CDC)	42%	29%	41%	**	51%	30%	HEDIS	
Comprehensive Diabetes Care - HbA1C Poor Control (INVERSE) (CDC)	52%	65%	52%	**	40%	65%	HEDIS, Adult Core Set	
Comprehensive Diabetes Care - HbA1C Testing (CDC)	82%	75%	83%	**	86%	82%	HEDIS, Adult Core Set	
Contraceptive Care - All Women Ages 15 - 20 MC (CCW-CH)	21%	26%	17%	N/A	20%	17%	Child Core Set	
Contraceptive Care - All Women Ages 15 - 20 LARC (CCW-CH)	2%	4%	2%	N/A	2%	1%	Child Core Set	
Contraceptive Care - All Women Ages 21 - 44 MC (CCW-AD)	24%	21%	25%	N/A	24%	21%	Adult Core Set	

	Health Plans							
Performance Measures	Staywell	Staywell- SMI	Sunshine	Sunshine - Child Welfare	United	Vivida	Measure Source	
Contraceptive Care - All Women Ages 21 - 44								
LARC (CCW-AD)	5%	4%	5%	N/A	5%	5%	Adult Core Set	
Contraceptive Care - Postpartum Women Ages 15- 20 within 3 days of delivery MC (CCP-CH)	2%	2%	2%	N/A	1%	0%	Child Core Set	
Contraceptive Care - Postpartum Women Ages 15- 20 within 3 days of delivery LARC (CCP-CH)	1%	1%	1%	N/A	0%	0%	Child Core Set	
Contraceptive Care - Postpartum Women Ages 15- 20 within 60 days of delivery MC (CCP-CH)	36%	31%	32%	N/A	34%	45%	Child Core Set	
Contraceptive Care - Postpartum Women Ages 15- 20 within 60 days of delivery LARC (CCP-CH)	11%	11%	8%	N/A	9%	8%	Child Core Set	
Contraceptive Care - Postpartum women Ages 21- 44 within 3 days of delivery MC (CCP-AD)	13%	13%	10%	N/A	12%	10%	Adult Core Set	
Contraceptive Care - Postpartum women Ages 21- 44 within 3 days of delivery LARC (CCP-AD)	1%	2%	1%	N/A	0%	0%	Adult Core Set	
Contraceptive Care - Postpartum women Ages 21- 44 within 60 days of delivery MC (CCP-AD)	40%	38%	34%	N/A	36%	32%	Adult Core Set	
Contraceptive Care - Postpartum women Ages 21- 44 within 60 days of delivery LARC (CCP-AD)	9%	8%	7%	N/A	8%	5%	Adult Core Set	

	Health Plans							
Performance Measures	Staywell	Staywell- SMI	Sunshine	Sunshine - Child Welfare	United	Vivida	Measure Source	
Controlling High Blood Pressure (CBP)	55%	48%	56%	**	59%	41%	HEDIS, Adult Core Set	
Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	73%	72%	79%	81%	76%	**	HEDIS, Adult Core Set	
Engagement of Alcohol and Other Drug Dependence Treatment - Total (IET)	9%	10%	8%	14%	6%	12%	HEDIS, Adult Core Set	
Follow-up After Emergency Department Visit for Alcohol and Other Drug Dependence - 30 Day - Total (FUA)	10%	10%	9%	6%	11%	**	HEDIS, Adult Core Set	
Follow-up After Emergency Department Visit for Alcohol and Other Drug Dependence - 7 Day - Total (FUA)	6%	7%	6%	3%	6%	**	HEDIS, Adult Core Set	
Follow-up After Emergency Department Visit for Mental Illness - 30 Day (FUM)	41%	40%	37%	74%	38%	**	HEDIS, Adult Core Set	
Follow-up After Emergency Department Visit for Mental Illness - 7 Day (FUM)	27%	27%	21%	57%	23%	**	HEDIS, Adult Core Set	
Follow-up After Hospitalization for Mental Illesss- 30 Day (FUH)	49%	44%	53%	73%	49%	26%	HEDIS	

	Health Plans							
Performance Measures	Staywell	Staywell- SMI	Sunshine	Sunshine - Child Welfare	United	Vivida	Measure Source	
Follow-up After Hospitalization for Mental Illesss- 7 Day (FUH)	29%	26%	33%	48%	29%	15%	HEDIS	
Follow-up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase (ADD)	66%	66%	62%	63%	62%	**	HEDIS, Child Core Set	
Follow-up Care for Children Prescribed ADHD Medication - Initiation Phase (ADD)	49%	50%	45%	53%	47%	0%	HEDIS, Child Core Set	
Immunization for Adolescents - Combination 1 (IMA)	76%	68%	67%	73%	69%	39%	HEDIS, Child Core Set	
Immunizations for Adolescents - Combination 2 (IMA)	36%	29%	33%	37%	34%	19%	HEDIS, Child Core Set	
Initation of Alcohol and Other Drug Dependence Treatment - Total (IET)	48%	53%	46%	55%	39%	50%	HEDIS, Adult Core Set	
Lead Screening in Children (LSC)	77%	N/A	74%	79%	69%	61%	HEDIS	
Metabolic Monitoring for Children and Adolescents on Antipsychotics - 1-17- Total- Blood Gluclose and Cholesterol Testing (APM)	28%	32%	28%	40%	29%	**	HEDIS, Child Core Set	
Plan All-Cause Readmissions - ages 18-64 years - Total (Observed Readmission Rate)(PCR)	12%	14%	12%	**	11%	**	HEDIS, Adult Core Set	

	Health Plans							
Performance Measures	Staywell	Staywell- SMI	Sunshine	Sunshine - Child Welfare	United	Vivida	Measure Source	
Postpartum Care (PPC)	74%	68%	68%	70%	71%	75%	HEDIS, Adult Core Set	
Timeliness of Prenatal Care (PPC)	85%	82%	81%	71%	81%	82%	HEDIS, Adult Core Set, Child Core Set	
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics - Total (APP)	62%	57%	64%	75%	51%	**	HEDIS, Child Core Set	
Use of Opioids at High Dosage (HDO)	12%	10%	16%	N/A	10%	14%	HEDIS	
Use of Pharmacotherapy for Opioid Use Disorder - Ages 18-64 Years - Total (OUD)	47%	43%	51%	N/A	57%	61%	Adult Core Set	